



Peer Counselling and the Prevention of Drug Abuse among Secondary School Students: A Review of Theoretical and Empirical Evidence

¹Nsikak Stephen Edet (Ph.D, fCIPDM) & ²Amos, Mary Sunday

¹Department of Political Science, University of Uyo

²Department of Educational Foundation (Guidance and Counselling),
Abia State University, Nigeria.

¹nsikakstephen@yahoo.com; 08069212110, 08082401260

²iprefermary@yahoo.com; 08034286135, 08020921660

DOI: <https://doi.org/10.67487/10.67487/gjmret.v2i4.276>

Citation: Edet, N. S. & Amos, M. S. (2026). Peer Counselling and the Prevention of Drug Abuse among Secondary School Students: A Review of Theoretical and Empirical Evidence. *Global Journal of Modern Research and Emerging Trends*, 2(4). <https://doi.org/10.67487/10.67487/gjmret.v2i4.276>

Abstract

Drug abuse among secondary school students remains a persistent global and Nigerian public health and educational concern, with adolescents rendered particularly vulnerable by the developmental salience of peer influence during this life stage. Peer counselling, in which trained students provide guidance and support to fellow students, has been widely adopted by schools as a preventive strategy that harnesses positive peer influence rather than treating it solely as a risk factor. This paper undertakes an integrative review of the theoretical and empirical literature on the role of peer counselling in preventing drug abuse among secondary school students. The review is anchored in Bandura's social learning theory and Rosenstock's health belief model, which together explain how peer-modelled behaviour and risk perception shape adolescents' decisions about substance use. Empirical evidence is drawn from intervention and correlational studies conducted in Nigeria and internationally, including systematic reviews of school-based prevention programmes, to evaluate the effectiveness of peer-led approaches relative to adult-led alternatives. The review finds consistent, though not unqualified, support for the effectiveness of peer counselling and peer-led education in improving drug-related knowledge, strengthening resistance to peer pressure, and reducing



risk behaviour, while also identifying structural constraints, including inadequate training of peer counsellors, weak supervision, and inconsistent institutional support, that limit programme effectiveness in many school settings. The paper concludes with recommendations for strengthening the design, training, supervision and institutionalisation of peer counselling programmes as a component of a comprehensive school-based drug abuse prevention strategy.

Keywords: peer counselling, drug abuse prevention, secondary school students, adolescent health, peer education, social learning theory

1.0 Introduction

1.1 Background to the Study

Adolescence is a developmental stage marked by experimentation, identity formation, and heightened sensitivity to peer influence, all of which render young people particularly susceptible to substance use. Drug abuse among adolescents has become a major social and public health concern worldwide, with harmful or hazardous use of psychoactive substances such as alcohol, tobacco, cannabis and prescription medicines associated with poor academic performance, mental health difficulties, involvement in crime, and long-term dependence (World Health Organization, 2022).

Globally, the scale of adolescent substance use continues to be a matter of policy concern. The United Nations Office on Drugs and Crime (2023) reports that a substantial proportion of the world's drug-using population is composed of young people, with early initiation into substance use associated with a heightened risk of dependence and long-term health and social harm. Schools, non-governmental organisations and governments have increasingly turned to peer-based interventions as a preventative strategy on the premise that adolescents are more receptive to health messages delivered by their peers than by adults (Topping, 2005).

In Nigeria, the problem has become increasingly pronounced. Oshodi et al. (2010) found substantial substance use among secondary school students in an urban Nigerian setting, while more recent studies have linked drug abuse directly to educational outcome. Anyanwu, et al. (2022) documented the adverse effects of drug abuse on youths' education in Nasarawa State, and Bawa et al. (2025) reported a notable prevalence of drug abuse among secondary school students in Bauchi State, with perceived negative effects on both mental health and academic performance. Ogunsola and Fatusi (2017) further



demonstrated that risk and protective factors for adolescent substance use vary systematically between rural and urban school settings in Osun State, Nigeria, underlining the contextual nature of the problem.

Because adolescents are strongly influenced by their peers and are often more willing to disclose personal difficulties to peers than to adults or figures of authority, schools have increasingly adopted peer counselling as a guidance and counselling strategy for drug abuse prevention. Peer counselling involves training selected students to provide guidance, emotional support and accurate information to fellow students, with the aim of strengthening resistance to peer pressure and promoting informed decision-making regarding substance use (Topping, 2005). Evidence from peer-led health education interventions in Nigeria, such as the study by Ezelote et al. (2024) on peer health education and HIV/AIDS knowledge among in-school adolescents in Imo State, demonstrates that structured peer education can produce measurable improvements in health-related knowledge among secondary school populations, lending support to the broader logic underlying peer counselling as a school-based preventive strategy.

Despite the growing adoption of peer counselling programmes in Nigerian secondary schools, questions remain regarding their actual effectiveness in preventing drug abuse, given the widely reported challenges of inadequate training, weak supervision, and inconsistent institutional support. This paper undertakes a systematic review of the theoretical and empirical literature on peer counselling and drug abuse prevention among secondary school students to establish what is known about the effectiveness of this strategy and to identify the conditions under which it is most likely to succeed.

Within the Nigerian policy landscape, responsibility for drug abuse prevention among young people is distributed across multiple actors, including the Federal Ministry of Education, state universal basic and secondary education boards, and dedicated drug law enforcement institutions, alongside individual school administrations. This distributed responsibility means that the consistency and quality of school-based prevention strategies, including peer counselling, can vary considerably from one school or state to another in the absence of a uniformly enforced national standard for guidance and counselling provision. This variability itself constitutes part of the rationale for a systematic review that draws together the available evidence so that schools and policymakers operating in differently resourced contexts can draw on a common evidence base.



1.2 Statement of the Problem

Although peer counselling has been widely promoted as a preventive strategy against drug abuse in secondary schools, the persistence of substance use among Nigerian adolescents, as documented across multiple states and school settings (Oshodi et al., 2010; Anyanwu et al., 2022; Bawa et al., 2025), raises questions about the actual effectiveness of these programmes as currently implemented. International evidence on school-based drug prevention is itself mixed: Cuijpers (2002a) found that many prevention programmes are not effective and that objective criteria for distinguishing effective from ineffective programmes have historically been lacking, while a subsequent meta-analytic comparison found that peer-led programmes are not uniformly superior to adult-led alternatives and that effectiveness depends heavily on programme design and fidelity of implementation (Cuijpers, 2002b). This situation creates a genuine problem for school administrators and counsellors: peer counselling is intuitively appealing and theoretically well-grounded, yet its practical effectiveness cannot be assumed without examining the conditions, such as training, supervision and institutional support, under which it is implemented. This paper addresses this problem by systematically reviewing the theoretical and empirical evidence on peer counselling and drug abuse prevention, with a view to clarifying both the promise and limitations of the strategy.

1.3 Objectives of the Study

The broad objective of this paper is to examine the role of peer counselling in preventing drug abuse among secondary school students. The specific objectives are to:

- i. examine the theoretical foundations that explain how peer counselling influences adolescent attitudes and behaviour towards drug abuse;
- ii. evaluate the empirical evidence on the effectiveness of peer counselling and peer-led education programmes in preventing or reducing drug abuse among secondary school students; and
- iii. identify the institutional and programmatic factors that constrain or strengthen the effectiveness of peer counselling as a drug abuse prevention strategy in secondary schools.

1.4 Research Questions

The paper is guided by the following research questions:

- i. What theoretical frameworks explain how peer counselling influences adolescent attitudes and behaviour towards drug abuse?



- ii. What does the empirical evidence reveal about the effectiveness of peer counselling and peer-led education programmes in preventing or reducing drug abuse among secondary school students?
- iii. What institutional and programmatic factors constrain or strengthen the effectiveness of peer counselling as a drug abuse prevention strategy in secondary schools?

1.5 Research Hypotheses

Drawing on the theoretical and empirical literature reviewed in this paper, the following hypotheses are proposed as testable propositions for future primary empirical research; they are not tested with new primary data in the present review-based paper.

- i. Participation in structured peer counselling programmes has no significant effect on secondary school students' knowledge of the risks of drug abuse.
- ii. There is no significant relationship between participation in peer counselling and secondary school students' resistance to peer pressure to use drugs.
- iii. The training and supervision received by peer counsellors have no significant effect on the effectiveness of peer counselling programmes in preventing drug abuse.

1.6 Significance of the Study

This paper is significant for a range of stakeholders involved in adolescent development and school-based drug abuse prevention.

- i. For students, the paper clarifies the evidence base for peer counselling as a source of accurate drug-related information and social support, helping to explain why well-designed programmes are worth their active participation and trust.
- ii. For school guidance counsellors, the paper offers an evidence-informed basis for the selection, training and supervision of peer counsellors, drawing on the specific programmatic features that the literature associates with effectiveness.
- iii. For school administrators and education policymakers, the paper provides a rationale for the institutional investment in training, supervision and dedicated resourcing that the evidence indicates is necessary for peer counselling to achieve its preventive potential, rather than remaining a nominal or under-resourced programme.
- iv. For parents and communities, the paper underscores that peer counselling functions best as a complement to, rather than a replacement for, family and community-



based supervision and support, encouraging continued parental engagement alongside school-based prevention efforts.

- v. For researchers, the paper identifies specific gaps in the Nigerian empirical literature, particularly the scarcity of rigorous intervention studies evaluating peer counselling for drug abuse prevention, and proposes testable hypotheses to guide future primary research.

1.7 Scope of the Study

The paper is a theoretical and empirical review focused specifically on peer counselling and peer-led education as strategies for preventing drug abuse among secondary school students. It draws primarily on studies conducted in Nigerian secondary schools, supplemented by international empirical and systematic-review evidence on school-based and peer-led drug prevention, to situate the Nigerian experience within a broader comparative context. The review does not extend to pharmacological or clinical treatment of substance dependence, which falls outside the scope of a school-based preventive strategy.

2.0 Conceptual Clarification

2.1 Concept of Peer Counselling

Peer counselling refers to a structured process in which selected and trained students provide guidance, emotional support and information to fellow students of similar age or social status, with the aim of promoting healthy decision-making and behavioural change. Peer counselling is distinguished from informal peer influence by its structured, trained and supervised character: peer counsellors are selected and prepared, typically by school guidance counsellors, to provide support within defined boundaries, rather than exerting influence spontaneously as ordinary peers do (Topping, 2005). The rationale for peer counselling rests on the observation that adolescents often find it easier to discuss sensitive personal matters, including substance use, with peers than with adults in positions of authority.

2.2 Concept of Drug Abuse

Drug abuse refers to the harmful or hazardous use of psychoactive substances, including alcohol, tobacco, cannabis, and prescription or over-the-counter medicines used outside of appropriate medical guidance, in a manner that produces adverse physical, psychological



or social consequences for the user (World Health Organization, 2022). Among secondary school students, commonly abused substances in the Nigerian context include alcohol, tobacco, cannabis, tramadol and codeine-based cough preparations, often obtained through informal channels and consumed in response to curiosity, peer pressure, or attempts to cope with stress (Oshodi et al., 2010; Bawa et al., 2025).

2.3 Concept of Adolescent Peer Influence

Peer influence refers to the process by which the attitudes, values and behaviours of an individual are shaped by association with peers, particularly during adolescence, when young people spend an increasing proportion of their time with age-mates and seek acceptance and belonging within peer groups. Peer influence can operate in either a protective or a risk-enhancing direction: peers can discourage or encourage substance use depending on group norms. Peer counselling programmes are designed explicitly to redirect the mechanism of peer influence towards protective ends, using trained peer counsellors as positive models and sources of accurate information (Topping, 2005).

2.4 Peer Counselling and Drug Abuse Prevention: The Conceptual Nexus

The conceptual link between peer counselling and drug abuse prevention rests on the proposition that, because adolescent substance use is substantially driven by peer influence, an intervention that works through the same channel, namely peer relationships, is likely to be an effective countermeasure. Peer counselling seeks to convert a risk mechanism into a protective one: rather than treating peer influence solely as a source of vulnerability, it positions trained peers as agents of health promotion, information provision and emotional support, operating within the same social dynamics that would otherwise facilitate substance use.

2.5 Concept of School-Based Guidance and Counselling

School-based guidance and counselling refers to the range of structured services provided within schools to support students' academic, social, emotional and career development, typically coordinated by trained guidance counsellors. Peer counselling is best understood as one component within this broader guidance and counselling structure, rather than as a freestanding intervention: it depends on professional guidance counsellors for the initial selection and training of peer counsellors, ongoing supervision, and referral pathways for students whose needs exceed what a peer counsellor is equipped to address. Where school guidance and counselling structures are weak or under-resourced, peer counselling



programmes tend to lack the institutional scaffolding necessary for effective and safe operation.

3.0 Theoretical Framework

Two theoretical frameworks are particularly relevant to explaining how peer counselling might influence adolescent drug-related attitudes and behaviours: Bandura's social learning theory and Rosenstock's health belief model. Both are reviewed below, followed by a discussion of the integrated theoretical framework adopted for this paper.

3.1 Social Learning Theory

Bandura's (1977) social learning theory proposes that individuals learn behaviours, attitudes and emotional reactions largely through observing and imitating others, particularly models who are perceived as similar to themselves or whose behaviour is seen to produce desirable outcomes. Learning, in this view, occurs through a sequence of attention, retention, reproduction and motivation, with the likelihood of imitation increased when the observed behaviour is rewarded and when the observer identifies closely with the model. Applied to adolescent substance use, social learning theory explains why peers are such powerful influences on drug-related behaviour: adolescents observe and imitate the substance-use behaviour, whether abstaining or using, of peers with whom they identify. Peer counselling harnesses this same mechanism by positioning trained peer counsellors as credible, relatable models of drug-free behaviour and responsible decision-making, whom fellow students are more likely to imitate than a more distant adult authority figure.

3.2 Health Belief Model

Rosenstock's (1974) health belief model proposes that an individual's likelihood of engaging in health-protective behaviour is a function of their perceived susceptibility to a health threat, the perceived severity of that threat, and the perceived benefits of taking preventive action, and the perceived barriers to doing so, together with exposure to cues that prompt action. Applied to drug abuse prevention, the model suggests that adolescents are more likely to avoid substance use when they perceive themselves as genuinely susceptible to its harms, when they understand the severity of the physical, social and academic consequences involved, and when they perceive meaningful benefits, such as improved health and academic performance, to abstaining. Peer counselling functions, in the context of the health belief model, as a cue to action and a credible source of risk information: peer counsellors, precisely because they are trusted by their peers, are well



placed to increase perceived susceptibility and severity and to reduce the perceived barriers, such as fear of stigma, to seeking help or resisting substance use.

3.3 Theoretical Framework Adopted for the Study

Table 1: Summary of the Theoretical Framework. Source: Author's compilation (2026).

Theory	Core Proposition	Relevance to Peer Counselling and Drug Abuse Prevention
Social Learning Theory (Bandura, 1977)	Behaviour is learned through observing and imitating credible models, especially those the observer identifies with.	Explains why peer counsellors, as relatable models of drug-free behaviour, can shift norms and behaviour more effectively than distant authority figures.
Health Belief Model (Rosenstock, 1974)	Health-protective behaviour depends on perceived susceptibility, severity, benefits, barriers, and cues to action.	Explains how peer counsellors increase perceived risk and lower barriers to help-seeking, prompting students to avoid or discontinue substance use.

This paper adopts an integrative framework combining social learning theory and the health belief model. Social learning theory explains the mechanism by which peer counselling exerts influence, namely observational learning and modelling within a trusted peer relationship, while the health belief model explains the cognitive pathway through which that influence translates into a behavioural decision to avoid or discontinue drug use, namely a recalibration of perceived risk, benefit and barriers. Read together, the two theories suggest that effective peer counselling programmes must ensure both that peer counsellors are credible, well-regarded models, consistent with social learning theory, and that the information and support they provide meaningfully shift students' perceptions of risk and their confidence in their ability to resist substance use, consistent with the health belief model.



4.0 Review of Related Literature

This section reviews the thematic strands of the literature relevant to peer counselling and drug abuse prevention among secondary school students.

4.1 Prevalence and Correlates of Drug Abuse among Secondary School Students

Empirical studies conducted across different Nigerian states consistently document a troubling prevalence of substance use among secondary school students. Oshodi et al. (2010) reported substantial substance use in an urban Lagos setting, while Bawa et al. (2025) documented notable prevalence in Bauchi State, alongside perceived adverse effects on mental health and academic performance. Ogunsola and Fatusi (2017) found that risk and protective factors for adolescent substance use differ systematically between rural and urban school settings in Osun State, with implications for how prevention programmes, including peer counselling, ought to be tailored to local context. Anyanwu et al. (2022) linked drug abuse directly to adverse educational outcomes among youths in Nasarawa State, reinforcing the educational, and not merely medical, stakes of effective prevention.

4.2 Peer Counselling and the Development of Decision-Making and Refusal Skills

A central function attributed to peer counselling in the literature is the development of decision-making and refusal skills among students, equipping them to resist pressure to experiment with drugs. Topping's (2005) review of trends in peer learning identifies structured peer support as effective in building such skills precisely because peer interactions provide a low-threat environment in which students can rehearse responses to social pressure. This is consistent with social learning theory's emphasis on modelling: when peer counsellors demonstrate effective refusal strategies, fellow students are positioned to imitate those strategies in their own social interactions.

4.3 Peer Counselling and Health Knowledge

Beyond drug-specific interventions, the broader literature on peer health education provides relevant evidence on the mechanisms by which peer-led programmes improve health-related knowledge among adolescents. Ezelote et al. (2024) found that a structured peer health education intervention produced a marked improvement in HIV/AIDS-related knowledge among in-school adolescents in Imo State, Nigeria, with knowledge gains sustained over a twelve-week follow-up period. Although focused on a different health domain, the study demonstrates the underlying mechanism relevant to drug abuse



prevention: peer-delivered health information, structured and evaluated over time, can produce measurable and durable knowledge gains among secondary school populations.

4.4 Comparative Effectiveness of Peer-Led and Adult-Led Prevention

The comparative effectiveness of peer-led versus adult-led drug prevention programmes has been a recurring theme in the international literature. Cuijpers (2002a), in a systematic review of school-based drug prevention programmes, found considerable variation in effectiveness and identified specific programme features, such as interactive delivery and a social-influence orientation, as more consistently associated with positive outcomes than the mere fact of peer or adult delivery. In a subsequent meta-analytic comparison, Cuijpers (2002b) found that peer-led and adult-led programmes did not differ systematically in overall effectiveness but that peer-led programmes carried particular strengths in building social-resistance skills, consistent with social learning theory's emphasis on credible, relatable models.

4.5 Institutional Support, Training and Supervision

A recurring theme across the literature is that the effectiveness of peer counselling is not automatic but contingent on the quality of programme design, the adequacy of peer counsellor training, and the consistency of supervision by school guidance counsellors. Where peer counsellors are inadequately trained or supervised, programmes risk becoming superficial, with peer counsellors unable to provide accurate information or handle sensitive disclosures appropriately. This concern is consistent with the health belief model's emphasis on the credibility and accuracy of information as a determinant of behaviour change: poorly trained peer counsellors are less able to shift students' perceptions of risk and self-efficacy in the intended direction.

4.6 Contextual and Gender Variation in Drug Abuse Risk and Prevention

The literature indicates that both the risk of drug abuse and the potential effectiveness of peer counselling vary by context. Ogunsola and Fatusi (2017) found that risk and protective factors for adolescent substance use differed between rural and urban school settings in Osun State, Nigeria, suggesting that peer counselling programmes designed uniformly, without attention to local risk profiles, may be less effective than context-sensitive designs. Family background and socioeconomic conditions are also implicated: adolescents facing weaker parental supervision or greater economic hardship may be exposed to a wider set of risk factors than peer counselling alone can address, reinforcing the case, developed



further in section seven, for treating peer counselling as one component of a wider, multi-level prevention strategy rather than a stand-alone solution.

4.7 Peer Counselling within a Multi-Tiered Prevention Framework

The literature increasingly frames peer counselling not as a stand-alone solution but as one tier within a multi-tiered school prevention framework that also includes universal drug education delivered to all students, targeted support for students identified as at elevated risk, and referral to specialist services for students already experiencing substance-related difficulty. Cuijpers' (2002a) finding that the most effective school-based programmes combine several complementary components, rather than relying on any single strategy, supports this multi-tiered framing. Within such a framework, peer counselling is best positioned at the universal and early-intervention tiers, where its comparative advantage in building social-resistance skills and shifting peer norms is most relevant, while more intensive or clinical support for students already abusing drugs is directed to guidance counsellors, school health services, or external specialist agencies.

5.0 Empirical Review

This section reviews specific empirical studies relevant to peer counselling and drug abuse prevention, organised by geographical and thematic focus.

5.1 Nigerian Empirical Studies

Oshodi et al. (2010), in a study published in the African Journal of Psychiatry, examined substance use among secondary school students in an urban Lagos setting and found substantial rates of use across several substance categories, with peer influence identified as a significant correlate, providing an empirical foundation for the relevance of peer-based interventions in the Nigerian secondary school context.

Ogunsola and Fatusi (2017), in a study published in the International Journal of Adolescent Medicine and Health, conducted a comparative analysis of risk and protective factors for adolescent substance use among secondary school students in rural and urban areas of Osun State, Nigeria. The study found that protective factors, including supportive peer relationships and school-based guidance structures, were associated with reduced risk of substance use, with the pattern of association differing between rural and urban settings, underscoring the need for context-sensitive design of peer counselling programmes.

Anyanwu et al. (2022), in a study published in the World Journal of Advanced Research and Reviews, examined the effects of drug abuse on youths' education in Nasarawa State,



Nigeria, and found that substance use was associated with declining academic engagement and performance, reinforcing the argument that drug abuse prevention, including through peer counselling, is inseparable from the broader goal of safeguarding educational outcomes.

Bawa et al. (2025), in a cross-sectional study reported in *European Psychiatry*, examined the prevalence of drug abuse and its perceived effects on the mental health and academic performance of secondary school students in Bauchi State, Nigeria, using a multistage sampling procedure across twenty-six secondary schools. The study found a concerning prevalence of drug abuse, with respondents perceiving substantial negative effects on both their mental health and their academic performance, reinforcing the urgency of effective school-based prevention strategies, including peer counselling, in the Nigerian context.

Ezelote et al. (2024), in a quasi-experimental intervention study published in *BMC Public Health*, examined the effect of a peer health education intervention on HIV/AIDS knowledge among in-school adolescents in secondary schools in Imo State, Nigeria, using a test and control group design with a combined sample exceeding five hundred adolescents. The study found that overall good knowledge in the test group improved substantially, from twenty-seven per cent to eighty-one per cent, following the twelve-week peer education intervention, providing robust experimental evidence that structured, sustained peer-led health education can produce large and durable gains in adolescent health knowledge, a mechanism directly relevant to peer counselling for drug abuse prevention.

5.2 International Empirical and Systematic-Review Evidence

Cuijpers (2002a), in a systematic review published in *Addictive Behaviours*, examined the effective ingredients of school-based drug prevention programmes and found that programmes grounded in a social-influence model, incorporating peer-normative feedback and interactive skills training, were more consistently associated with reductions in substance use than programmes relying primarily on information transmission alone, regardless of whether they were peer-led or adult-led.

Cuijpers (2002b), in a meta-analytic comparison published in the *Journal of Drug Education*, directly compared peer-led and adult-led school drug prevention programmes and found that, while overall effectiveness did not differ systematically by facilitator type, peer-led programmes demonstrated particular strength in enhancing students' social-resistance skills and normative perceptions, whereas adult-led programmes were



sometimes more effective in transmitting factual content. This finding suggests that peer counselling and adult-led guidance and counselling services are best understood as complementary rather than substitutable strategies within a comprehensive school drug abuse prevention framework.

Topping (2005), in an influential review published in *Educational Psychology*, examined trends in peer learning more broadly and identified structured peer support, of which peer counselling is one variant, as consistently associated with gains in both academic and socio-emotional outcomes when programmes are well organised, adequately resourced, and supported by ongoing training and supervision, findings that align closely with the institutional-support theme identified in the Nigerian empirical literature.

5.3 Synthesis of the Empirical Evidence

Taken together, the empirical studies reviewed above indicate a consistent, if not yet extensive, evidence base in support of peer-led approaches to adolescent health promotion and, by extension, drug abuse prevention. The strongest single piece of experimental evidence, Ezelote et al. (2024), demonstrates that structured, sustained peer health education can produce large and durable knowledge gains, with good knowledge nearly tripling in the intervention group over a twelve-week period. The international systematic-review evidence from Cuijpers (2002a, 2002b) tempers this optimism by clarifying that facilitator type, peer or adult, is less important than programme design and fidelity of implementation and that peer-led and adult-led approaches each carry distinct comparative strengths. The Nigerian prevalence studies (Oshodi et al., 2010; Ogunsola & Fatusi, 2017; Anyanwu et al., 2022; Bawa et al., 2025) collectively establish both the scale of the problem that peer counselling is intended to address and the contextual variation that effective programme design must accommodate.

An additional pattern evident across the empirical studies is that outcomes are more favourable and more consistently reported when interventions are evaluated over a defined follow-up period rather than assessed only immediately after delivery. The twelve-week follow-up design used by Ezelote et al. (2024) allowed knowledge gains to be distinguished from short-lived novelty effects, a methodological feature that future Nigerian evaluations of peer counselling for drug abuse prevention would do well to replicate, given that sustained rather than transient behavioural change is the outcome of genuine policy interest.



6.0 Summary of the Review

The theoretical and empirical literature reviewed in this paper converges on several conclusions. First, adolescent drug abuse in Nigeria remains a significant and persistent problem, documented across multiple states and school settings, with peer influence identified as a consistent correlate of both risk and protection. Second, social learning theory and the health belief model together provide a coherent theoretical explanation for why peer counselling should, in principle, be an effective preventive strategy: peer counsellors function as credible behavioural models while also serving as trusted sources of risk information capable of shifting students' health beliefs. Third, the empirical evidence, both Nigerian and international, lends support to the effectiveness of structured peer-led interventions, particularly for building knowledge, as shown by Ezelote et al. (2024), and social-resistance skills, as shown by Cuijpers (2002b), though the evidence also cautions against assuming that peer-led approaches are automatically superior to adult-led alternatives. Fourth, and most consistently, the literature identifies programme quality, training, supervision and institutional support as the decisive factors determining whether peer counselling achieves its preventive potential, rather than the mere fact of peer delivery itself.

A significant gap in the reviewed literature is the relative scarcity of rigorous experimental or quasi-experimental studies evaluating peer counselling specifically for drug abuse prevention within Nigerian secondary schools; much of the available Nigerian evidence is correlational or descriptive in design, or, as in the case of Ezelote et al. (2024), focused on a related but distinct health domain. This points to a clear direction for future primary research: intervention studies that directly test the hypotheses proposed in section 1.5 of this paper within the Nigerian secondary school context.

7.0 Institutional and Programmatic Constraints on Peer Counselling Effectiveness

Despite its theoretical promise and encouraging empirical signals, peer counselling, as practised in many Nigerian secondary schools, faces several constraints that limit its preventive effectiveness against drug abuse. Cuijpers' (2002a, 2002b) findings that programme design and fidelity of implementation matter more than facilitator type alone reinforce the conclusion that these institutional factors, rather than any inherent limitation of the peer counselling model, are the primary barriers to effectiveness. The principal constraints identified in the literature are discussed below.



7.1 Inadequate Training of Peer Counsellors

Peer counsellors who receive only brief or superficial training are poorly equipped to provide the accurate, credible information that the health belief model identifies as necessary for shifting students' perceptions of risk. Sustained, structured training, consistent with the model demonstrated by Ezelote et al. (2024), in which knowledge gains were achieved and maintained over a twelve-week structured intervention, appears necessary for a meaningful and durable effect, rather than a single orientation session.

7.2 Weak Supervision and Referral Pathways

Where peer counsellors operate with minimal oversight from qualified guidance counsellors, programmes risk both diminished quality control and missed opportunities to refer students whose needs, such as signs of dependence or co-occurring mental health difficulties, exceed what a peer counsellor can appropriately address. Consistent supervision also provides peer counsellors themselves with support in managing the emotional demands of the role.

7.3 Inconsistent Institutional Prioritisation and Funding

Peer counselling programmes frequently compete with academic and administrative priorities for scarce school resources and are consequently under-funded and inconsistently sustained, a pattern that mirrors challenges documented more broadly in Nigerian tertiary education administration but is at least as acute at the secondary level, where dedicated counselling budgets are frequently absent altogether.

7.4 Cultural and Attitudinal Barriers

In some school communities, drug abuse remains a stigmatised topic that students, parents and even staff are reluctant to discuss openly, limiting both the willingness of students to engage with peer counsellors on the subject and the readiness of school administrators to prioritise visible programming in this area. Overcoming this barrier requires deliberate normalisation of open discussion about substance use risks as a legitimate and routine part of school life, rather than an exceptional or shameful topic.

7.5 Monitoring and Evaluation Deficits

A further constraint, closely related to the training and supervision deficits discussed above, is the general absence of systematic monitoring and evaluation of peer counselling programmes in Nigerian secondary schools. Where schools do not track programme



activities, participation rates, or outcome indicators over time, administrators lack the evidence base needed either to demonstrate the value of continued investment in peer counselling or to identify and correct specific weaknesses in programme delivery. This deficit also compounds the empirical gap identified in section six, since routine school-level monitoring data, if collected and reported systematically, could substantially expand the evidence base available to researchers and policymakers without requiring dedicated external research funding.

8.0 Limitations of the Review

As a theoretical and empirical review rather than a primary data-collection study, this paper is subject to certain limitations that should inform how its conclusions are used. First, the Nigerian empirical literature on peer counselling specifically for drug abuse prevention remains limited, requiring the paper to draw partly on adjacent evidence, such as peer health education for HIV/AIDS knowledge, to illustrate relevant mechanisms; conclusions about drug abuse prevention specifically should therefore be treated as informed inferences rather than direct experimental findings. Second, the review is not a formal systematic review with pre-registered search protocols and quantitative meta-analysis; it is a narrative and integrative review designed to synthesise theory and evidence for practical and policy purposes. Third, cross-national comparisons between Nigerian and international evidence should be interpreted with caution given differences in school resourcing, cultural context, and the substances most commonly implicated in adolescent abuse across settings.

9.0 Conclusion and Recommendations

Peer counselling is theoretically well-grounded, drawing coherently on both social learning theory and the health belief model, and is supported by a growing, though still developing, body of empirical evidence that indicates its capacity to improve health-related knowledge and strengthen resistance to peer pressure among secondary school students. At the same time, the evidence base cautions against treating peer counselling as an automatically effective intervention: its success is contingent on programme quality, adequacy of training and supervision, and sustained institutional support. Schools and policymakers seeking to use peer counselling as a drug abuse prevention strategy should therefore invest deliberately in these programmatic foundations rather than relying on the peer-delivery format alone to produce results.

Ultimately, the value of peer counselling lies not in the novelty of using peers as agents of health promotion, but in the disciplined, well-resourced implementation of that



idea. Where Nigerian secondary schools succeed in providing peer counsellors with genuine training, consistent supervision, and institutional standing comparable to other recognised student leadership roles, the theoretical and empirical evidence reviewed in this paper suggests that peer counselling can make a meaningful contribution to reducing the burden of drug abuse among adolescents, alongside, rather than instead of, the family, community and policy-level interventions that remain equally indispensable to comprehensive prevention.

Based on the review, the following recommendations are made:

- i. School authorities should provide structured, ongoing training for peer counsellors, covering accurate drug-related health information, communication and referral skills, and the ethical boundaries of the peer counsellor role, delivered not as a single orientation but as a sustained programme with periodic refresher sessions, consistent with the durable knowledge gains demonstrated by Ezelote et al. (2024).
- ii. Guidance counsellors should provide consistent supervision of peer counselling activities, including regular debriefing sessions, documented referral pathways for students identified as at risk, and mechanisms for peer counsellors themselves to receive emotional support given the demanding nature of the role.
- iii. Peer counselling programmes should be integrated with, rather than treated as a substitute for, adult-led guidance and counselling services and broader school health education, consistent with the complementary strengths of peer-led and adult-led approaches identified by Cuijpers (2002b).
- iv. Ministries of education and school governing bodies should allocate dedicated resources and institutional recognition to peer counselling programmes to ensure their sustainability beyond an initial pilot or training phase and to protect them from being deprioritised relative to purely academic programming.
- v. Programme designers should tailor peer counselling content to local context, taking account of the rural-urban and socioeconomic variation in risk and protective factors documented by Ogunsola and Fatusi (2017), rather than applying a uniform national template without adaptation.
- vi. Researchers should prioritise rigorous intervention studies, including quasi-experimental and randomised designs where feasible, that directly test the effectiveness of peer counselling for drug abuse prevention within Nigerian secondary schools, addressing the empirical gap identified in this review.



References

- Anyanwu, D. O., Enueshike, P., & Owa-Onibiyo, F. T. (2022). Effects of drug abuse on youths' education in Nasarawa State Nigeria. *World Journal of Advanced Research and Reviews*, 16(1), 605–612. <https://doi.org/10.30574/wjarr.2022.16.1.1058>
- Bandura, A. (1977). Social learning theory. Prentice Hall.
- Bawa, R. M., Gomma, H. I., & Abdullateef, A. A. (2025). Prevalence of drug abuse and its perceived effect on the mental health and academic performance of secondary school students in Bauchi State Nigeria. *European Psychiatry*. <https://doi.org/10.1192/j.eurpsy.2025.579>
- Cuijpers, P. (2002a). Effective ingredients of school-based drug prevention programs: A systematic review. *Addictive Behaviors*, 27(6), 1009–1023. [https://doi.org/10.1016/S0306-4603\(02\)00295-2](https://doi.org/10.1016/S0306-4603(02)00295-2)
- Cuijpers, P. (2002b). Peer-led and adult-led school drug prevention: A meta-analytic comparison. *Journal of Drug Education*, 32(2), 107–119.
- Ezelote, C. J., Osuoji, N. J., Mbachu, A. J., Odinaka, C. K., Okwuosa, O. M., Oli, C. J., & Ignatius, C. G. (2024). Effect of peer health education intervention on HIV/AIDS knowledge amongst in-school adolescents in secondary schools in Imo State, Nigeria. *BMC Public Health*, 24, Article 1029. <https://doi.org/10.1186/s12889-024-18536-4>
- Jessor, R., & Jessor, S. L. (1977). Problem behavior and psychosocial development: A longitudinal study of youth. Academic Press.
- Ogunsola, O. O., & Fatusi, A. O. (2017). Risk and protective factors for adolescent substance use: A comparative study of secondary school students in rural and urban areas of Osun State, Nigeria. *International Journal of Adolescent Medicine and Health*, 29(3). <https://doi.org/10.1515/ijamh-2015-0096>
- Oshodi, O. Y., Aina, O. F., & Onajole, A. T. (2010). Substance use among secondary school students in an urban setting in Nigeria. *African Journal of Psychiatry*, 13(1), 52–57.
- Rosenstock, I. M. (1974). Historical origins of the Health Belief Model. *Health Education Monographs*, 2(4), 328–335.



Topping, K. J. (2005). Trends in peer learning. *Educational Psychology*, 25(6), 631–645.
<https://doi.org/10.1080/01443410500345172>

United Nations Office on Drugs and Crime. (2023). *World Drug Report 2023*. United Nations.

World Health Organization. (2022). *Adolescent and young adult health*. WHO.